

BS6883 EPR/IND SCR/SW4/GSWB/SW4 150/250V

HALOGEN FREE, FLAME RETARDANT, INDIVIDUALLY SCREENED INSTRUMENTATION CABLES



CABLE DESCRIPTION

Tinned Copper Class 2 or 5 Flexible Conductors, EPR insulated, Individual foil screen + DW, LSOH (SW4), Galvanised Steel Wire Braid, LSOH (SW4) Grey or Blue ; BS6883; IEC60754 1-2 ; IEC60754 1-2 ; IEC61034 1-2; IEC60332-1 IEC60332-3 CAT A ; Voltage Rating 150/250V ; Minimum Bending Radius 8xOD

APPLICATION

These cables are used for fixed installations in all areas and on open deck in ships and offshore units

Gland sizes shown are only provided as a guide

CSWL Part No	Number Pairs/ Triples	Size mm ²	OD (mm)		Weight KG/KM	Gland Size (Hawke)		SHEATH	UKOOA
			Nominal					COLOUR	CODE
CSW0.75MM2PRBS6883ISGY	1PR	0.75	11.5		200	Univ O	20mm (S)	GREY	KKF00
CSW0.75MM2PRBS6883ISBU	1PR	0.75	11.5		200	Univ O	20mm (S)	BLUE	KHF00
CSW0.75MM2PRBS6883ISGY	2PR	0.75	12.7		240	Univ O	20mm (S)	GREY	-
CSW0.75MM2PRBS6883ISBU	2PR	0.75	12.7		240	Univ O	20mm (S)	BLUE	-
CSW0.75MM3PRBS6883ISGY	3PR	0.75	17.5		400	Univ A	20mm	GREY	KKH00
CSW0.75MM3PRBS6883ISBU	3PR	0.75	17.5		400	Univ A	20mm	BLUE	KHH00
CSW0.75MM5PRBS6883ISGY	5PR	0.75	20.7		590	Univ B	25mm	GREY	-
CSW0.75MM5PRBS6883ISBU	5PR	0.75	20.7		590	Univ B	25mm	BLUE	-
CSW0.75MM7PRBS6883ISGY	7PR	0.75	21.8		660	Univ B	25mm	GREY	KKJ00
CSW0.75MM7PRBS6883ISBU	7PR	0.75	21.8		660	Univ B	25mm	BLUE	KHJ00
CSW0.75MM12PRBS6883ISGY	12PR	0.75	26.5		950	Univ C	32mm	GREY	KKK00
CSW0.75MM12PRBS6883ISBU	12PR	0.75	26.5		950	Univ C	32mm	BLUE	KHK00
CSW0.75MM20PRBS6883ISGY	20PR	0.75	34.0		1560	Univ C2	40mm	GREY	KKL00
CSW0.75MM20PRBS6883ISBU	20PR	0.75	34.0		1560	Univ C2	40mm	BLUE	KHL00
CSW1MM1PRBS6883ISGY	1PR	1.0	11.7		210	Univ O	20mm (S)	GREY	KKF01
CSW1MM1PRBS6883ISBU	1PR	1.0	11.7		210	Univ O	20mm (S)	BLUE	KHF01
CSW1MM2PRBS6883ISGY	2PR	1.0	13.0		250	Univ O	20mm (S)	GREY	-
CSW1MM2PRBS6883ISBU	2PR	1.0	13.0		250	Univ O	20mm (S)	BLUE	-
CSW1MM3PRBS6883ISGY	3PR	1.0	17.8		430	Univ A	20mm	GREY	KKH01
CSW1MM3PRBS6883ISBU	3PR	1.0	17.8		430	Univ A	20mm	BLUE	KHH01
CSW1MM5PRBS6883ISGY	5PR	1.0	21.1		640	Univ B	25mm	GREY	-
CSW1MM5PRBS6883ISBU	5PR	1.0	21.1		640	Univ B	25mm	BLUE	-

Pair - white-black
Triple - white - black - red

Cable Solutions Worldwide Ltd
Burghmuir Circle
Blackhall Industrial Estate
Inverurie AB51 4FS

Tel : 01467 633790
Email: info@1st4cables.com

