

BFOU(C) - NEK 606 (S4/S8/S104)

HALOGEN FREE, FIRE RESISTANT, FLAME RETARDANT, COLLECTIVELY SCREENED INSTRUMENTATION CABLES



CABLE DESCRIPTION

Tinned Copper Class 2 or 5 Flexible Conductors, Mica Glass Taped, EPR insulated, Collective foil screen + DW, LSOH, Tinned Copper Wire Braid, LSOH MUD RESISTANT Grey or Blue; NEK606; IEC60092-376; IEC60092-350-351-359; IEC60754 1-2; IEC61034 1-2; IEC60331; IEC60332-1 IEC60332-3 CAT A; Voltage Rating 150/250V; Minimum Bending Radius 8xOD

APPLICATION

These cables are used for fixed installations in all areas and on open deck in ships and offshore units

Gland sizes shown are only provided as a guide

CSWL Part No	Number Pairs/Triples	Size mm ²	OD (mm)		Weight KG/KM	Gland Size (Hawke)		SHEATH COLOUR
			Nominal					
CSW0.75MM2PRBFOUCSGY	2PR	0.75	17.1		260	Univ A	20mm	GREY
CSW0.75MM2PRBFOUCSBU	2PR	0.75	17.1		260	Univ A	20mm	BLUE
CSW0.75MM4PRBFOUCSGY	4PR	0.75	19.5		380	Univ B	25mm	GREY
CSW0.75MM4PRBFOUCSBU	4PR	0.75	19.5		380	Univ B	25mm	BLUE
CSW0.75MM8PRBFOUCSGY	8PR	0.75	27.4		760	Univ C	32mm	GREY
CSW0.75MM8PRBFOUCSBU	8PR	0.75	27.4		760	Univ C	32mm	BLUE
CSW0.75MM12PRBFOUCSGY	12PR	0.75	29.5		940	Univ C	32mm	GREY
CSW0.75MM12PRBFOUCSBU	12PR	0.75	29.5		940	Univ C	32mm	BLUE
CSW0.75MM16PRBFOUCSGY	16PR	0.75	33.1		1200	Univ C2	40mm	GREY
CSW0.75MM16PRBFOUCSBU	16PR	0.75	33.1		1200	Univ C2	40mm	BLUE
CSW0.75MM24PRBFOUCSGY	24PR	0.75	39.2		1520	Univ D	50mm	GREY
CSW0.75MM24PRBFOUCSBU	24PR	0.75	39.2		1520	Univ D	50mm	BLUE

HALOGEN FREE, FIRE RESISTANT, FLAME RETARDANT, COLLECTIVELY SCREENED INSTRUMENTATION CABLES

Gland sizes shown are only provided as a guide

CSWL Part No	Number Pairs/Triples	Size mm2	OD (mm)		Weight KG/KM	Gland Size (Hawke)		SHEATH COLOUR
			Nominal					
CSW1.5MM2PRBFOUCSGY	2PR	1.5	19.6		220	Univ B	25mm	GREY
CSW1.5MM2PRBFOUCSBU	2PR	1.5	19.6		220	Univ B	25mm	BLUE
CSW1.5MM4PRBFOUCSGY	4PR	1.5	22.5		530	Univ B	25mm	GREY
CSW1.5MM4PRBFOUCSBU	4PR	1.5	22.5		530	Univ B	25mm	BLUE
CSW1.5MM8PRBFOUCSGY	8PR	1.5	32.2		930	Univ C2	40mm	GREY
CSW1.5MM8PRBFOUCSBU	8PR	1.5	32.2		930	Univ C2	40mm	BLUE
CSW1.5MM12PRBFOUCSGY	12PR	1.5	35.1		1310	Univ C2	40mm	GREY
CSW1.5MM12PRBFOUCSBU	12PR	1.5	35.1		1310	Univ C2	40mm	BLUE
CSW1.5MM16PRBFOUCSGY	16PR	1.5	39.4		1610	Univ D	50mm	GREY
CSW1.5MM16PRBFOUCSBU	16PR	1.5	39.4		1610	Univ D	50mm	BLUE
CSW1.5MM24PRBFOUCSGY	24PR	1.5	46.7		2390	Univ D	50mm	GREY
CSW1.5MM24PRBFOUCSBU	24PR	1.5	46.7		2390	Univ D	50mm	BLUE
<i>Gland sizes shown are only provided as a guide</i>								
CSW0.75MM2TRBFOUCSGY	2TR	0.75	18.7		440	Univ A	20mm	GREY
CSW0.75MM2TRBFOUCSBU	2TR	0.75	18.7		440	Univ A	20mm	BLUE
CSW0.75MM4TRBFOUCSGY	4TR	0.75	21.5		570	Univ B	25mm	GREY
CSW0.75MM4TRBFOUCSBU	4TR	0.75	21.5		570	Univ B	25mm	BLUE
CSW0.75MM8TRBFOUCSGY	8TR	0.75	30.5		920	Univ C	32mm	GREY
CSW0.75MM8TRBFOUCSBU	8TR	0.75	30.5		920	Univ C	32mm	BLUE
CSW0.75MM12TRBFOUCSGY	12TR	0.75	33.2		1380	Univ C2	40mm	GREY
CSW0.75MM12TRBFOUCSBU	12TR	0.75	33.2		1380	Univ C2	40mm	BLUE
<i>Gland sizes shown are only provided as a guide</i>								
CSW1.5MM2TRBFOUCSGY	2TR	1.5	21.6		490	Univ B	25mm	GREY
CSW1.5MM2TRBFOUCSBU	2TR	1.5	21.6		490	Univ B	25mm	BLUE
CSW1.5MM4TRBFOUCSGY	4TR	1.5	24.9		810	Univ C	32mm	GREY
CSW1.5MM4TRBFOUCSBU	4TR	1.5	24.9		810	Univ C	32mm	BLUE
CSW1.5MM8TRBFOUCSGY	8TR	1.5	36.7		1930	Univ C2	40mm	GREY
CSW1.5MM8TRBFOUCSBU	8TR	1.5	36.7		1930	Univ C2	40mm	BLUE
CSW1.5MM12TRBFOUCSGY	12TR	1.5	40.0		2100	Univ D	50mm	GREY
CSW1.5MM12TRBFOUCSBU	12TR	1.5	40.0		2100	Univ D	50mm	BLUE

Pair - Black - Light Blue

Triple - Black - Light Blue - Brown

Quad - Black - Light Blue - Brown - Grey

